

Revise Table C406.1.1 as follows:

Table C406.1.1 Energy Credit Requirements by Building Occupancy Group

Building Occupancy Group	Climate Zone																		
	0A	0B	1A	1B	2A	2B	3A	3B	3C	4A	4B	4C	5A	5B	5C	6A	6B	7	8
R-2, R-4, and I-1	65	66	67	77	80	86	80	81	90	86	90	90	86	90	90	79	89	80	78
I-2	43	42	38	37	36	38	32	32	30	36	36	35	43	43	44	46	47	50	53
R-1	63	62	66	65	70	71	77	80	84	81	83	88	85	86	90	83	87	87	85
B	62	62	64	66	66	65	64	64	68	70	72	74	71	73	77	71	74	74	71
A-2	70	70	72	72	75	75	70	73	82	69	74	78	67	72	78	60	67	57	51
M	80	79	83	79	81	84	67	74	87	80	66	65	79	62	50	75	67	75	58
E	56	57	55	58	58	57	59	62	59	61	66	62	64	67	67	65	67	63	58
S-1 and S-2	61	60	61	60	58	57	44	54	62	85	68	75	90	82	72	90	89	90	90
All Other	31	31	31	32	32	33	30	32	36	35	35	35	37	36	36	36	37	36	34

Building Occupancy Group	Climate Zone																																	
	0A	0B	1A	1B	2A	2B	3A	3B	3C	4A	4B	4C	5A	5B	5C	6A	6B	7	8															
R-2, R-4, and I-1	85	85	91	100	100	100	100	100	100	94	100	100	93	100	100	100	100	100	100															
I-2	50	49	47	46	46	48	44	44	45	48	48	49	54	55	56	55	56	58	59															
R-1	59	63	57	62	66	60	65	62	70	62	71	65	77	67	80	68	84	67	81	70	83	73	88	78	85	75	86	82	90	86	82	87	94	100
B	66	63	65	68	64	63	67	68	68	70	73	74	83	83	84	95	92	94	100															
A-2	74	74	75	76	79	79	77	80	87	73	78	82	100	98	100	100	100	100	100															
M	95	94	95	93	94	97	87	85	97	82	75	68	79	94	83	100	98	100	87															
E	67	68	68	70	72	71	72	76	77	77	83	79	83	86	89	90	89	88	89															
S-1 and S-2	90	89	95	92	93	91	66	83	95	38	85	62	68	90	100	93	87	100	100	100	98													
All Other	37	36	37	38	38	39	37	38	41	34	35	37	39	42	43	44	47	46	47	47														